

Spirocerca lupi	
Common Name	Esophageal worm
Infective Stage	Larva 3
Habitat	Esophagus
Mode of transmission	Ingestion of larva 3
Diagnostic Specimen	Feces
Diagnostic State	Egg in feces / Adult in
(Q) A	esophageal wall



Gnathostoma spinigerum		
Common Name	พยาธิตัวจื๊ด	
Infective Stage	Advance Larva 3	
Habitat	Stomach	
Mode of transmission	Ingestion of advance larva 3	
Diagnostic Specimen	Feces	
Diagnostic State	Egg in feces / Adult in gastric wall	

*** zoonosis โรคติดต่อจากสัตว์สู่คน *




Toxocara canis		
Common Name	พยาธิไสเดือนในสุนัข	
Infective Stage	embryonated egg with second	
	stage larva	
Habitat	Small intestine	
Mode of transmission	Ingestion of embryonated egg	
	with second stage larva	
Diagnostic Specimen	Feces	
Diagnostic State	Egg in feces	


*** zoonosis โรคติดต่อจากสัตว์สู่คน ***



Toxocara cati	
Common Name	พยาธิไสเดือนในแมว
Infective Stage	embryonated egg with second stage
	larva
Habitat	Small intestine
Mode of transmission	Ingestion of embryonated egg with
	second stage larva
Diagnostic Specimen	Feces
Diagnostic State	Egg in feces


^{***} zoonosis โรคติดต่อจากสัตว์สู่คน ***






Strongyloides stercoralis	
Common Name	Threadworm
Infective Stage	Filariform larvae
Habitat	Small intestine
Mode of transmission	Ingestion of filariform larvae /
	autoinfection / penetration of
	filariform larvae
Diagnostic Specimen	Feces
Diagnostic State	Rhabditiform larvae in feces

*** zoonosis โรคติดต่อจากสัตว์สู่คน **



zoonosis โรคติดต่อจากสัตว์สู่คน ***



*** zoonosis โรคติดต่อจากสัตว์สู่คน *

